



iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM936GCB1



The intelligent varioSpeed microwave oven with Oven Assistant with Voice Control for intuitive programme setting and roastingSensor Plus for excellent results.

- ✓ TFT-Touchdisplay Plus – Smooth-touch navigation for simple and intuitive operation.
- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.
- ✓ Oven Assistant with Voice Control – Intuitively set the right programme.
- ✓ Cut down on oven cleaning – ecoClean.
- ✓ humidClean Plus - For fast cleaning dirt is softened beforehand by vaporizing soapy water. It can then be removed more easily.

Features

Technical Data

Type of micro-wave oven : MW-Combi
 Type of control : Electronic
 Color / Material Front : Black
 Dimensions : 455 x 594 x 548 mm
 Cavity dimensions : 237.0 x 480 x 392.0 mm
 Length electrical supply cord : 150 cm
 Net weight : 36.0 kg
 Gross weight : 38.3 kg
 EAN code : 4242003901366
 Maximum micro-wave power : 900 W
 Connection Rating : 3600 W
 Fuse protection : 16 A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz
 Plug type : Gardy plug w/ earthing
 Cavity dimensions : 237.0 x 480 x 392.0 mm
 Included accessories : 1 x combination grid, 1 x universal pan



Included accessories

- 1 x combination grid
- 1 x universal pan

Optional accessories

- | | |
|----------|---|
| HZ915003 | Glass roasting dish, 5,4 L |
| HZ66X600 | Decor list |
| HZ636000 | Glass pan |
| HZ634000 | Baking and roasting grid (standard) |
| HZ632070 | Multipurpose pan, anthracite enamelled |
| HZ631070 | Baking tray, anthracite enamelled |
| HZ617000 | Pizza pan, anthracite enamelled |
| HZ532010 | Universal pan, non-stick ceramic coated |
| HZ531010 | Baking tray, non-stick ceramic coated |
| HZ327000 | Baking stone |

iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM936GCB1

Features

Type of oven / heating system:

- Compact oven with microwave with 19 heating methods: 4D hotAir, Conventional heat, hotAir grilling, Full width grill, Half width grill, Pizza setting, coolStart, Bottom heat, Gentle heating, Plate warming setting, Keep warm, hotAir gentle, Conventional heat gentle, microwave, 4D hotair + microwave, Top/bottom heat + microwave, grill + microwave, half width grill + microwave, hotair grilling + microwave
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C - 300 °C
- Cavity volume: 45 l

Hook-in racks / rails

- Number of shelf levels: 3 PC

Design:

- blackSteel application
- Touchcontrol
- studioLine Glass handle
- Cavity inner surface: enamel

Cleaning:

- ecoClean: coating of back panel
- humidClean Plus

Comfort:

- Oven Assistant with Voice Control
- TFT-Touchdisplay Plus
- electronic clock
- Temperature proposal
- Actual temperature display Optical temperature control
- Drop down door
- softMove for gentle opening and closing of the oven door
- cookControl Pro
- roastingSensor Plus
- fastPreheat
- coolStart
- LED illumination, Independent oven interior light button
- Integral cooling fan
- Home Connect ready on Wi-Fi

Accessory:

- 1 x combination grid, 1 x universal pan

Environment and Safety:

- Low door temperature
- Triple glazed door with heat reflective glass glazed CoolTouch door
- Child lock
- Residual heat indicator Start-/Stop button Door contact switch

Technical Information

- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


Dimensions:

- Appliance dimension (HxWxD): 455 mm x 594 mm x 548 mm



- Niche dimension (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM936GCB1

Dimensioned drawings



Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

