


## iQ500 EP9A6QB90 90 cm, Gas hob with integrated controls, Hard Glass, Black



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ This wok burner with 4.0 kW of power is ideal for a wide variety of foods, even in large quantities.
- ✓ Siemens top sheet design for a flush or slightly raised built-in solution.
- ✓ Extremely heat-resistant and easy to clean – the modern glass ceramic surface.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.

### Features

#### Technical Data

Product name/family : gas hob w integrated controls  
Construction type : Built-in  
Source of energy : Gas  
Total number of positions that can be used at the same time : 5  
Type of control setting devices : sword knobs  
Required niche size for installation (HxWxD) : 45 x 850-852 x 490-502  
Width (mm) : 915  
Dimensions of the product (mm) : 45 x 915 x 520  
Net weight (kg) : 21.0  
Gross weight (kg) : 22.0  
Residual heat indicator : without  
Location of control panel : Hob front  
Basic surface material : Hard Glass  
Color of surface : Black  
Color of frame : Black  
Approval certificates : CE  
Length electrical supply cord (cm) : 150  
EAN code : 4242003674673  
Electrical connection rating (W) : 1  
Gas connection rating (W) : 11500  
Current (A) : 3  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60



4 242003 674673

iQ500

EP9A6QB90

90 cm, Gas hob with integrated controls, Hard Glass, Black

#### Features

**Design:**

- Tempered glass Black
- Cast iron pan supports separable
- For a flush or slightly raised built-in solution.

**Comfort:**

- stepFlame Technology
- Sword knobs
- Easy to clean Tempered glass surface.
- 1-handed ignition via control knobs

**Power and size:**

- 5 Gas burners
- Wok Burner
- 1 rapid, 2 standard, 1 economy, 1 wok burner
- Left rear: Standard burner 1.75 KW
- Right rear: Rapid burner 3 KW
- Center: Wok burner 4 KW
- Left front: Economy burner 1 KW
- Right front: Standard burner 1.75 KW

**Environment+safety:**

- Preset of natural gas (20mbar)
- Flame failure safety device

**Accessories**

- Liquid gas nozzles (28-30/37mbar) included

**Measurements:**

- Power cord length 1.5m

**90 cm, Gas hob with integrated controls, Hard Glass, Black**

Technical drawing of the built-in oven showing top and side views with dimensions in mm.

**Top View Dimensions:**

- Overall width: 520
- Distance between hob cut-outs: 45
- Distance between oven cut-outs: 915
- Distance from wall to oven cut-out: 58
- Distance between oven cut-outs: 61
- Distance from wall to oven cut-out: 31
- Distance between oven cut-outs: 43-53

**Side View Dimensions:**

- Overall depth: 850<sup>+2</sup><sub>-0</sub>
- Distance from wall to oven cut-out: 490-500<sup>+2</sup><sub>-0</sub>
- Distance from wall to oven cut-out: min. 50
- Distance from wall to oven cut-out: min. 600
- Distance from wall to oven cut-out: \*\*\*min. 30

**Notes:**

- \* Minimum distance from the hob cut-out to the wall
- \*\* Position of gas connection in the cut-out
- \*\*\* With fitted oven underneath, possibly more; see space requirements for the oven

measurements in mm