


iQ700, Gas hob, 90 cm, Ceramic, Black ER9A6SB70



The gas hob with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology – Precise flame control with nine different settings.
- ✓ Dishwasher-proof pan supports – Cut the time you spend cleaning the hob.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.
- ✓ Biomethane ready – Power your gas hob with renewable biomethane gas.
- ✓ Design burner – extremely flat in comparison to standard burner.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 5
 Type of control setting devices : sword knobs
 Min. required niche size for installation (HxWxD) : 45 x 850-852 x 490-502 mm
 Width of the appliance : 912 mm
 Dimensions of the packed product (HxWxD) : 170 x 1110 x 660 mm
 Net weight : 18.2 kg
 Gross weight : 20.6 kg
 Residual heat indicator : no
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black
 Color of frame : Black
 EAN code : 4242003925706
 Electrical connection rating : 1 W
 Gas connection rating : 13800 W
 Fuse protection : true A
 Voltage : 220-240 V
 Frequency : 50; 60 Hz

Included accessories

1 x WOK attachment ring



iQ700, Gas hob, 90 cm, Ceramic, Black ER9A6SB70

Features

Design

- ceramic glass surface, black
- Facette front, rear and side profiles, aluminum
- Cast iron continuous pan supports
- Flat burner design: elegant burner design with less pieces

Usage convenience

- stepFlame Technology: precisely adjust the flame in nine defined and repeatable levels.
- Pan supports dishwasher proof: clean without effort in the dishwasher.
- Sword control knobs: easily access knobs in front with strong grip for effortless turning.
- 1-handed ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 5 Gas burners
- Including Dual wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 6.1 KW (depending on gas type)
- Center front: Standard burner up to 1.9 KW (depending on gas type)
- Center rear: Economy burner up to 1.1 KW (depending on gas type)
- Right rear: Rapid burner up to 2.8 KW (depending on gas type)
- Right front: Standard burner up to 1.9 KW (depending on gas type)

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 59 x 912 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 502)
- Min. worktop thickness: 30 mm
- Power cord: 1.5 m
- Connected load: 13.8 KW

Accessories

- Wok ring included
- ONLY AUSTRALIA: Additional tools for LPG conversion required: removal lever (483196) and spanner (269605).

iQ700, Gas hob, 90 cm, Ceramic, Black ER9A6SB70

Dimensioned drawings

