


## iQ700, Induction hob, 80 cm, EX875LVB1E



The Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ Flexible cooking without predefined cooking zones – flexInduction.
- ✓ Select and join the cooking zones with one neatly arranged interface – Dual light slider.
- ✓ Adjust heat levels in three steps just by moving the cookware – powerMove Plus.
- ✓ Shorter heating times with up to 50% more power - powerBoost-function.
- ✓ Safely shuts off the cooking zone - Timer with switch-off function.
- ✓ Safely prevents unintentional switch-on - Child safety lock.
- ✓ For more energy efficient cooking - energy consumption display.
- ✓ Faster, cleaner and safer cooking - powerInduction.

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 5  
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500  
 Width of the product (mm) : 812  
 Dimensions of the product (mm) : 51 x 812 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 603  
 Net weight (kg) : 17.146  
 Gross weight (kg) : 18.1  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length electrical supply cord (cm) : 110  
 EAN code : 4242003783030  
 Electrical connection rating (W) : 7400  
 Voltage (V) : 220-240  
 Frequency (Hz) : 60; 50

### Optional accessories

HZ9SE030	Set of 2 pots and 1 pan
HZ394301	Connecting strip
HZ390522	Griddle Plate
HZ390512	Teppan Yaki (large)
HZ390090	Wok Set consisting of 3 Items



4 242003 783030

## iQ700, Induction hob, 80 cm, EX875LVB1E

### Features

**Design:**

- SE Top Frame
- Dual lightSlider touch control

**Comfort:**

- 5 Induction cooking zones
- Flex zone
- powerMove Plus
- Switch off timer for every cooking zone Timer Count-up timer
- reStart Function
- quickStart Function
- Energy consumption display

**Power and size:**

- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. power 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. power 2.2 KW) Induction; 1 x Ø 240 mm, 2.2 KW (max. power 3.7 KW) Induktion; 1 x 400 mmx210 mm, 3.3 KW (max. power 3.7 KW) Induction or 2 x 210 mm, 200 mm, 2.2 KW (max. power 3.7 KW) Induction
- 17 power levels

**Environment+safety:**

- Automatic pan recognition sensor powerManagement function  
Safety switch-off Childproof lock Wipe protection function
- Digital 2-step Residual heat indicator
- Main switch

**Quickness:**

- PowerBoost function for all zones
- panBoost

**Measurements:**

- Dimensions of the product (HxWxD mm) : 51 x 812 x 520
- Required niche size for installation (HxWxD mm) : 51 x 750 x 490 - 500
- Min. worktop thickness: 20 mm
- Cable included
- Connection cable 110 cm
- Connected load: 7.4 KW

iQ700, Induction hob, 80 cm,  
EX875LVB1E

Dimensioned drawings

