


## iQ700, Induction hob, 80 cm, EX875LYV1E



The modern flexInduction cooktop - for greater flexibility when cooking.

- ✓ Greater flexibility with the cooktop that adapts to your cookware and pots – flexInduction Plus.
- ✓ Select and join the cooking zones with one neatly arranged interface – Dual light slider.
- ✓ Home Connect: Information about your cooktop, no matter where you are via smartphone or tablet.
- ✓ Maintains the desired pan temperature automatically after heating up to avoid scorching – fryingSensor Plus.
- ✓ Adjust heat levels in three steps just by moving the cookware – powerMove Plus.
- ✓ Remembers the heat settings for individual pans while moving them freely across the hob – flexMotion.
- ✓ Control different functions of your hood, like power level or light, directly from your cooktop (with matching hood) - cookConnect system.
- ✓ Shorter heating times with up to 50% more power - powerBoost-function.
- ✓ Safely shuts off the cooking zone - Timer with switch-off function.
- ✓ Safely prevents unintentional switch-on - Child safety lock.
- ✓ For more energy efficient cooking - energy consumption display.
- ✓ Faster, cleaner and safer cooking - powerInduction.

### Features

#### Technical Data

Product name/family : Cooking zone ceramic  
 Construction type : Built-in  
 Energy input : Electric  
 Total number of positions that can be used at the same time : 4  
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500  
 Width of the product (mm) : 812  
 Dimensions of the product (mm) : 51 x 812 x 520  
 Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 603  
 Net weight (kg) : 20.443  
 Gross weight (kg) : 21.4  
 Residual heat indicator : Separate  
 Location of control panel : Hob front  
 Basic surface material : Ceramic  
 Color of surface : Black  
 Approval certificates : AENOR, CE  
 Length electrical supply cord (cm) : 110  
 EAN code : 4242003786338  
 Electrical connection rating (W) : 7400  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60

#### Included accessories

1 x adjustment strip 750 - 780 mm

#### Optional accessories

HZ9SE030	Set of 2 pots and 1 pan
HZ394301	Connecting strip
HZ390522	Griddle Plate
HZ390512	Teppan Yaki (large)
HZ390220	System pan diameter 19 cm



## iQ700, Induction hob, 80 cm, EX875LYV1E

### Features

**Design:**

- SE Top Frame

**Professional Equipment:**

- Dual lightSlider touch control
- fryingSensor Plus with 5 temperature settings

**Comfort:**

- 4 Induction cooking zones
- 2 FlexZones extended
- flexMotion
- flexInduction Plus
- powerMove Plus
- Switch off timer for every cooking zone Timer Count-up timer
- reStart Function
- quickStart Function
- Keep warm function for all cooking zones
- Home Connect (only in countries where Home Connect service is available)
- cookConnect system (with matching hood)
- Energy consumption display

**Environment+safety:**

- Automatic pan recognition sensor powerManagement function
- Safety switch-off Childproof lock Wipe protection function quickStop
- Digital 2-step Residual heat indicator
- Main switch

**Quickness:**

- PowerBoost function for all zones
- panBoost

**Power and size:**

- Cooking zones: 1 x 400 mmx230 mm, 3.3 KW (max. power 3.7 KW) Induction or 2 x 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW) Induction; 1 x 400 mmx230 mm, 3.3 KW (max. power 3.7 KW) Induction or 2 x230 mm, 200 mm , 2.2 KW (max. power 3.7 KW) Induction
- 17 power levels

**Measurements:**

- Dimensions of the product (HxWxD mm) : 51 x 812 x 520
- Required niche size for installation (HxWxD mm) : 51 x 750 x 490 - 500
- Min. worktop thickness: 20 mm
- Cable included
- Connection cable 110 cm
- Connected load: 7.4 KW

## iQ700, Induction hob, 80 cm, EX875LYV1E

### Dimensioned drawings

