


iQ700
EX877KYX5E
Metal trims on the sides
80 cm Induction Ceramic hob



Included accessories

- 1 x adjustment strip 750 - 780 mm
- 1 x wireless temperature sensor for cooktop

The modern flexInduction cooktop - for greater flexibility when cooking.

- ✓ flexInduction Plus adapts the cooking zones to different cookware and pots up to 30 cm diameter – for more flexibility.
- ✓ powerMove Plus enables intuitive control thanks to three heating zones with different temperatures – activated by touch.
- ✓ The TFT-Touchdisplay makes the operation of all the cooktop's functions easier than ever.
- ✓ Home Connect: Information about your cooktop, no matter where you are - with the easy-to-use Home Connect App. (only in countries where Home Connect service is available)
- ✓ cookConnect system: The convenient cookConnect system allows you to control different functions of the hood directly from your cooktop. (with matching hood)
- ✓ The fryingSensor Plus controls the temperature in the pan so dishes can never burn again.
- ✓ cookingSensor Plus is an intelligent system that prevents overboiling thanks to precise temperature control.

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500
 Width of the product (mm) : 812
 Dimensions of the product (mm) : 51 x 812 x 520
 Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 608
 Net weight (kg) : 18.003
 Gross weight (kg) : 20.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Color of surface : , Black
 Approval certificates : AENOR, CE
 Length electrical supply cord (cm) : 110
 EAN code : 4242003838471
 Electrical connection rating (W) : 7400
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60



iQ700**EX877KX5E****Metal trims on the sides****80 cm Induction Ceramic hob****Features****Technical Information**

- FullTouch TFT Display
- fryingSensor Plus with 5 temperature settings
- cookingSensor Plus

Design:

- Metal trims on the sides, black design

Comfort:

- 4 Induction cooking zones
- 2 FlexZones extended
- flexMotion
- flexInduction Plus
- powerMove Plus
- Meal assistant
- reStart Function
- Switch off timer for every cooking zone
- Timer
- Count-up timer
- Keep warm function for all cooking zones
- 17 power levels
- Home Connect (only in countries where Home Connect service is available)
- cookConnect system (with matching hood)

Environment+safety:

- Automatic pan recognition sensor
- powerManagement function
- Safety switch-off
- Childproof lock
- Wipe protection function
- quickStop
- Digital 2-step Residual heat indicator
- Main switch

Quickness:

- panBoost
- PowerBoost function for all zones

Power and size:

- Cooking zones: 1 x Ø 400 mmx230 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 400 mmx230 mm, 3.3 KW (max. Power levels 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

Measurements:

- Dimensions of the product (HxWxD mm) : 51 x 812 x 520
- Required niche size for installation (HxWxD mm) : 51 x 750 x 490 - 500
- Connection cable (1.1 M)
- Min. worktop thickness: 30 mm
- Connected load: 7.4 kW
- Cable included

Accessories

- 1 x wireless temperature sensor for cooktop, 1 x adjustment strip 750 - 780 mm included.

iQ700

EX877KYX5E

Metal trims on the sides

80 cm Induction Ceramic hob

Dimensioned drawings

