


iQ700, Induction hob, 90 cm, EZ977KZY1E



The freeInduction Plus cooktop with activeLight and Home Connect for maximum flexibility.

- ✓ freeInduction Plus 90cm: Move up to six pots and pans freely on the cooktop, without being restricted to size or predefined cooking zones.
- ✓ powerMove Pro: Change the power level in five steps only by moving the cookware.
- ✓ activeLight: Sleek blue light bars give you intuitive visual feedback on where heat is applied and the selected settings.
- ✓ cookingSensor Plus is an intelligent system that prevents overboiling thanks to precise temperature control.
- ✓ cookConnect system: The convenient cookConnect system allows you to control different functions of the hood directly from your cooktop. (with matching hood)

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 6
 Required niche size for installation (HxWxD) : 61 x 880-880 x 490-500
 Width of the product (mm) : 912
 Dimensions of the product (mm) : 61 x 912 x 520
 Dimensions of the packed product (HxWxD) (mm) : 152 x 1081 x 636
 Net weight (kg) : 31.383
 Gross weight (kg) : 34.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Color of surface : , Black
 Approval certificates : AENOR, CE
 Length electrical supply cord (cm) : 150
 EAN code : 4242003784006
 Electrical connection rating (W) : 7400
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60

Included accessories

1 x wireless temperature sensor for cooktop



iQ700, Induction hob, 90 cm, EZ977KZY1E

Features

Technical Information

- freeInduction
- TFT touch display plus (6.2")
- cookingSensor Plus
- activeLight

Design:

- Metal trims on the sides, black design
- studioLine

Comfort:

- Up to 6 pots and pans can be heated at the same time
- 56 mini inductors: Total flexibility in size, shape and position of the cookware
- flexMotion
- Meal assistant
- powerMove
- reStart Function
- Switch off timer for every cooking zone
- Timer
- Count-up timer
- Keep warm function for all cooking zones
- 17 power levels
- Home Connect (only in countries where Home Connect service is available)
- cookConnect system (with matching hood)
- Acoustic signal: polyphonic sound

Environment+safety:

- Automatic pan recognition sensor
- powerManagement function
- Safety switch-off
- Childproof lock
- Pause funktion
- quickStop
- 3 stage residual heat indicator
- Main switch

Quickness:

- panBoost
- PowerBoost function for all zones

Power and size:

- One continuous cooking zone with 3.200 cm²

Measurements:


- Dimensions of the product (HxWxD mm) : 61 x 912 x 520
- Required niche size for installation (HxWxD mm) : 61 x 880 x 490 - 500
- Connection cable (1.5 M)
- Min. worktop thickness: 30 mm
- Connected load: 7.4 kW
- Cable included

Accessories

- 1 x wireless temperature sensor for cooktop included.


iQ700, Induction hob, 90 cm,
EZ977KZY1E

Dimensioned drawings



①
Ventilation gap must
be present.

Measurement in mm



* Minimum distance from the
hob cut-out to the wall
** Maximum recessed depth
*** with a fitted oven underneath $\text{min. } 40$
possibly more; see space requirements
for the oven
measurements in mm