

iQ700, Built-in oven, 60 x 60 cm, Black HB934GAB1







Included accessories

1 x enamel baking tray

1 x combination grid

1 x universal pan

Optional accessories

HZ66X650 Cover Strip HZ538000 varioClip rail The intelligent oven with Oven Assistant with Voice Control for intuitive programme setting.

- ✓ TFT-Touchdisplay Touch navigation for intuitive operation.
- ✓ Oven Assistant with Voice Control Intuitively set the right programme.
- ✓ Cut down on oven cleaning ecoClean.
- ✓ humidClean Plus For fast cleaning dirt is softened beforehand by vaporizing soapy water. It can then be removed more easily.
- ✓ Home Connect with Remote Control and Monitoring Unlock the full potential of your smart oven.

Feature

Technical Data

Color / Material Front : Black Built-in / Free-standing : Built-in

Integrated Cleaning system : Catalytic partial, Hydrolytic

Required niche size for installation (HxWxD): 585-595 x 560-568 x

550 mm

Dimensions: 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD): 670 x 680 x 670 mm

Control Panel Material : Glass

Door Material : Glass Net weight : 37.6 kg

Usable volume of cavity: 71 l

Heating modes: : Bottom heat, Conventional heat gentle, Deep-frozen food special, Full width grill, Gentle heating, Half width grill, Hot Air, Hotair gentle, Hot air grilling, Keep warm, Pizza setting, pre-heating,

Top/bottom heat

Oven control : electronic
Number of interior lights : 1
Approval certificates : CE, VDE
Length electrical supply cord : 120 cm
EAN code : 4242003901991
Number of cavities (2010/30/EC) : 1
Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87 kWh/ $\,$

cycle

Energy consumption per cycle forced air convection (2010/30/EC) :

0.69 kWh/cycle

Energy efficiency index (2010/30/EC): 81.2 %

Connection Rating: 3600 W Fuse protection: 16 A Voltage: 220-240 V Frequency: 50; 60 Hz

Plug type: Gardy plug w/ earthing

Included accessories: 1 x enamel baking tray, 1 x combination grid, 1

x universal pan





iQ700, Built-in oven, 60 x 60 cm, Black HB934GAB1

Feature:

Type of oven / heating system:

- Oven with 13 heating methods:#3D hotAir Plus, Conventional heat, hotAir grilling, Full width grill, Half width grill, Pizza setting, coolStart, Bottom heat, Gentle heating, Plate warming setting, Keep warm, hotAir gentle, Conventional heat gentle
- Temperature range 30 °C 300 °C
- Cavity volume: 71 I

Hook-in racks / rails

- Number of shelf levels: 5 PC
- vario Clip rails Plus, full extension, with Stop function

Design:

- blackSteel application
- Touchcontrol
- studioLine Glass handle
- Cavity inner surface: enamel anthracite

Cleaning:

- ecoClean: coating of back panel
- humidClean Plus
- Full glass inner door

Comfort:

- Oven Assistant with Voice Control
- TFT-Touchdisplay
- electronic clock
- Temperature proposal
- Actual temperature display Optical temperature control
- Drop down door, softMove for gentle opening and closing of the oven door
- cookControl Plus
- fastPreheat
- coolStart
- Halogen interior lighting, Independent oven interior light button
- Integral cooling fan
- HomeConnect ready on Wi-Fi

Accessory:

ullet 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

Environment and Safety:

- Low door temperature
- Triple glazed door with heat reflective glass glazed CoolTouch door
- Child lock
- Residual heat indicator Start-/Stop button Door contact switch

Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69
- Number of cavities: 1 Heat source: electrical Cavity volume:71 l
- •

Dimensions:

Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm

- Niche dimension (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"



iQ700, Built-in oven, 60 x 60 cm, Black HB934GAB1

Dimensioned drawings

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm





