

### iQ500, free-standing fridge, 186 x 60 cm, Black stainless steel KS36VAXEP















#### Included accessories

3 x egg tray

#### Optional accessories

KS39ZAX00 Connection set cast iron

Refrigerator with hyperFresh plus to keep fruit and vegetables fresh up to 2 times longer and Design LED light for a brilliant illumination of the fridge's interior.

- ✓ Keeps fruits and vegetables fresh and crisp for up to 2x longer hyperFresh plus.
- ✓ Lights up the fridge to give you a good view LED lighting.
- ✓ Store bottles safely bottleRack.
- ✓ All your foods provided in view and within reach by movable glass shelves – easyAccess.
- ✓ Reduces the temperature for a set time to quickly cool down fresh food items - superCooling.

#### Feature

#### **Technical Data**

Built-in / Free-standing : Free-standing Door panel options : Not possible

Height (mm): 1860 Width of the appliance: 600 Depth of the product: 650 Net weight (kg): 67.956 Connection Rating (W): 90

Current (A): 10 Door hinge: Left reversible Voltage (V): 220-240

Frequency (Hz): 50

Approval certificates : CE, VDE Length electrical supply cord (cm) : 230

Number of compressors: 1

Number of independent cooling systems: 1

Interior ventilator : Yes Reversible Door Hinge : Yes

Number of Adjustable Shelves in fridge compartment: 4

Shelves for Bottles : Yes EAN code : 4242003875865

Brand: Siemens

Product name / Commercial code : KS36VAXEP

Product category : Refrigerator

Energy efficiency class (2010/30/EC): A++

Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :

112.00

Refrigerator Net capacity (I) - NEW (2010/30/EC) : 346 Freezer Net capacity (I) - NEW (2010/30/EC) : 0

Frost free system: No

Freezing capacity (kg/24h) - NEW (2010/30/EC): 0

Noise level (dB): 39 Climate class: SN-T Installation typology: N/A





## iQ500, free-standing fridge, 186 x 60 cm, Black stainless steel KS36VAXEP

#### Features

#### Performance and consumption

#### **Design and Styling**

- Doors black inox-antifingerprint, side panels cast iron
- bar handle
- LED interior light
- Interior with metal applications

#### **Convenience & Safety**

- 7 segment electronic control
- freshSense constant temperature by intelligent sensor technology
- Super Cooling: automatic deactivation
- Acoustic open door warning system

#### Fridge Compartment

- Dynamic cooling via integrated fan
- Automatic defrost in fridge section
- 7 safety glass shelves of which 4 are height adjustable, 5 x easyAccess Shelf, extendable
- Bottle grid
- 5 door bins, there of 1 with easyLift and Dairy compartment

#### Freshness System Freshness System

• 1 hyperFresh plus box with adjustable humidity - keeps fruit and vegetables fresh up to 2x longer. 1 Fresh box on telescoping rails

#### Dimensions

• Appliance Dimensions ( H x W x D): 186.0 cm x 60.0 cm x 65.0 cm

#### **Technical Information**

- Door left hinged, reversible
- Height adjustable front feet
- Wall-side door opening: No side clearance needed at all. Fully access to all drawers.
- Connected load: 90 W
- Nominal voltage: 220 240 V

#### Accessories

• egg tray

#### **Special Accessories**

#### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

#### **Environment and Safety**

#### Installation

#### **General Information**

EU19\_EEK\_D: E
Total Volume: 346 I
Net Fridge Volume: 346 I
Net Freezer Volume: 0 I

• Annual Energy Consumption: 116 kWh/a

Climate Class: SN-TNoise Level: 39 dB



# iQ500, free-standing fridge, 186 x 60 cm, Black stainless steel KS36VAXEP

### Dimensioned drawings

	а	b	С	d	e	f
KSW36, GSD36	187	60	65	58	60	119.5
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176					
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161	70	78	70	70	142
GSN54	176					
GSN58	191					

a Heigh

b Width

Death with closed door wio handle and wio distance part

d Depth of cabinet w/o distance part

Width with open door w/o handle w/o distance pa

measurements in crr





