



Corepro Glass High Lumen bulbs



CorePro LEDBulbND 120W E27 A67 840 FR G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An very easy choice for people who are looking for the replacement for retrofit LED bulbs, as comparing with convential lamps, it provide 90% energy saving. CorePro Glass LED bulbs provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

General Information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux (Nom)	2000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	153.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	13 W

Lamp Current (Nom)	120 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	60 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A67 [A 67mm]
Approval and Application	
Energy Efficiency Class	D


Datasheet, 2021, October 20 data subject to change

Corepro Glass High Lumen bulbs

Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	374903
Product Data	
Full product code	871951434655000
Order product name	CorePro LEDBulbND 120W E27 A67 840 FR G
EAN/UPC - Product	8719514346550

Order code	929002371902
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002371902
Net Weight (Piece)	0.040 kg


Dimensional drawing



A67 220-240V 120W 2000lm 4000K E27 ND FR

Product D C CorePro LEDBulbND 120W E27 A67 840 FR G 70 mm 121 mm

Photometric data



Calculus Photometrics 4.5 Philips Lighting B.V. Page: UT


120° 90° 60° (cd/1000lm) 0°

180°

150°

LEDbulb A67 E27 2000lm CL


LEDbulb 13W A67 E27 840 FR




LEDbulb 13W A67 E27 840 CL

Corepro Glass High Lumen bulbs

Lifetime





15K LED 15K LMP



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.