



# CorePro Glass LED bulbs

## CorePro LEDBulbND 7-60W E27 G93 827 CL G

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An very easy choice for people who are looking for the replacement for retrofit LED bulbs, as comparing with convectional lamps, it provide 90% energy saving. CorePro Glass LED bulbs provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

### Product data

| General Information        |            |
|----------------------------|------------|
| Cap-Base                   | E27 [ E27] |
| EU RoHS compliant          | Yes        |
| Nominal Lifetime (Nom)     | 15000 h    |
| Switching Cycle            | 20000X     |
| Flux measurement reference | Sphere     |

| Light Technical                       |                     |
|---------------------------------------|---------------------|
| Color Code                            | 827 [ CCT of 2700K] |
| Luminous Flux (Nom)                   | 806 lm              |
| Color Designation                     | Warm White (WW)     |
| Correlated Color Temperature (Nom)    | 2700 K              |
| Luminous Efficacy (rated) (Nom)       | 115.00 lm/W         |
| Color Consistency                     | <6                  |
| Color Rendering Index (Nom)           | 80                  |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                |

| Operating and Electrical |             |
|--------------------------|-------------|
| Input Frequency          | 50 to 60 Hz |

|                                 |           |
|---------------------------------|-----------|
| Power (Nom)                     | 7 W       |
| Lamp Current (Nom)              | 60 mA     |
| Wattage Equivalent              | 60 W      |
| Starting Time (Nom)             | 0.5 s     |
| Warm Up Time to 60% Light (Nom) | 0.5 s     |
| Power Factor (Nom)              | 0.51      |
| Voltage (Nom)                   | 220-240 V |

| Temperature          |       |
|----------------------|-------|
| T-Case Maximum (Nom) | 45 °C |

| Controls and Dimming |    |
|----------------------|----|
| Dimmable             | No |

| Mechanical and Housing |               |
|------------------------|---------------|
| Bulb Finish            | Clear         |
| Bulb Shape             | G93 [ G 93mm] |

# CorePro Glass LED bulbs

## Approval and Application


|                               |        |
|-------------------------------|--------|
| Energy Efficiency Class       | E      |
| Energy Consumption kWh/1000 h | 7 kWh  |
| EPREL Registration Number     | 400289 |

## Product Data

|                    |  |
|--------------------|--|
| Full product code  | 87195143467200                           |
| Order product name | CorePro LEDBulbND 7-60W E27 G93 827 CL G |

|                                 |               |
|---------------------------------|---------------|
| EAN/UPC - Product               | 8719514346772 |
| Order code                      | 929001387992  |
| Numerator - Quantity Per Pack   | 1             |
| Numerator - Packs per outer box | 6             |
| Material Nr. (12NC)             | 929001387992  |
| Net Weight (Piece)              | 0.070 kg      |


## Dimensional drawing




Bulb G93 230V 7-60W 806lm 2700K E27 ND

| Product                                  | D     | C      |
|--|-------|--------|
| CorePro LEDBulbND 7-60W E27 G93 827 CL G | 95 mm | 140 mm |


## Photometric data



LEDbulb 60W E27 827 CL G93 ND




LEDbulb 60W E27 827 CL A60 ND




LEDbulb 60W E27 827 CL A60 ND

# CorePro Glass LED bulbs

## Lifetime



LEDbulb 60W E27 827 CL A60 ND



LEDbulb 60W E27 827 CL A60 ND

