Hisense 40A4Q 101.6 cm (40") Full HD Smart TV Wi-Fi Black 200 cd/m 2

Brand : Hisense **Product code:** 20016099

Product name: 40A4Q

Hisense 40A4Q. Display diagonal: 101.6 cm (40"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: DLED, Screen shape: Flat. Smart TV. Display brightness: 200 cd/m², Response time: 9.5 ms, Contrast ratio (typical): 5000:1, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S2, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black





| Display | | Ports & interfaces | |
|---|-----------------------|---|-------------|
| Display diagonal * | 101.6 cm (40") | HDMI version | 1.4 |
| HD type * | Full HD | PC in (D-Sub) * | × |
| Display technology * | DLED | USB 2.0 ports quantity * | 1 |
| Screen shape * | Flat | Digital audio optical out | 1 |
| Native aspect ratio * | 16:9 | Headphone outputs | 1 |
| Display brightness * | 200 cd/m² | Common interface Plus (CI+) * | ✓ |
| Response time | 9.5 ms | HDMI ports quantity * | 2 |
| Native refresh rate | 60 Hz | Management features | |
| Contrast ratio (typical) * | 5000:1 | Electronic Programme Guide (EPG) | / |
| Viewing angle, horizontal | 178° | • | |
| Viewing angle, vertical | 178° | Programming period | 8 day(s) |
| Display resolution * | 1920 x 1080 pixels | Hotel mode | ✓ |
| Display diagonal (metric) Colour gamut standard | 100 cm DCI-P3 | Sleep timer | / |
| Peak luminance ratio | 72% | Works with Amazon Alexa | ✓ |
| | 7270 | Power | |
| TV tuner | | Power consumption (standby) * | 0.5 W |
| Tuner type * | Analog & digital | Energy efficiency class (SDR) * | F |
| Digital signal format system * | DVB-C, DVB-S2, DVB-T2 | Energy efficiency class (HDR) * | G |
| Smart TV | | Energy consumption (SDR) per 1000 | 39 kWh |
| Smart TV * | ✓ | hours * | |
| Internet TV * | ✓ | Energy consumption (HDR) per 1000 hours * | 50 kWh |
| Operating system installed * | VIDAA | AC input voltage | 100 - 240 V |
| Operating system version | U8.5 | AC input frequency | 50/60 Hz |
| Apple AirPlay 2 support | ✓ | Energy efficiency scale | A to G |
| Hybrid Broadcast Broadband TV (HbbTV) | ✓ | Technical details | |
| Hybrid Broadcast Broadband TV | 2.0.3 | NICAM/A2 | ✓ |
| (HbbTV) version | 2.0.3 | S/PDIF output | 1 |
| Audio | | Batteries | AAAx2 |
| Number of speakers * | 2 | Weight & dimensions | |
| RMS rated power * | 14 W | Width (with stand) | 900 mm |
| Audio output channels | 2.0 channels | Depth (with stand) | 186 mm |
| Built-in subwoofer | × | Height (with stand) | 565 mm |
| | | Weight (with stand) | 5.5 kg |
| | | | |

| Audio | | Weight & dimensions | |
|--------------------------------------|--|------------------------------------|-------------------|
| Audio decoders | DTS Virtual:X, Dolby AC4, Dolby | Width (without stand) | 900 mm |
| Equalizor | MS12 ✓ | Depth (without stand) | 85 mm |
| Equalizer | • | Height (without stand) | 515 mm |
| Network | | Weight (without stand) Stand width | 5.4 kg 18.6 cm |
| Wi-Fi * | ✓ | Stand width Stand depth | 81.2 cm |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) | · | 81.2 CIII |
| Bluetooth * | × | Packaging data | |
| Ethernet LAN * | ✓ | Quick start guide | ✓ |
| Web browser | ✓ | Manual | ✓ |
| Browser supported | Odin | Package width | 1008 mm |
| Design | | Package depth | 129 mm |
| Product colour * | Black | Package height | 615 mm |
| VESA mounting * | ✓ | Package weight | 7.9 kg |
| Panel mounting interface | 200 x 200 mm | Packaging content | |
| Housing material | Plastic | Cables included | AC |
| Stand colour | Black | Remote control included | ✓ |
| Performance | | Remote control type | EN2B38H |
| High Dynamic Range (HDR) | High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG) | Other features | |
| technology | | Multimedia and Hypermedia Experts | |
| Teletext function | 1 | Group (MHEG) | • |
| Video formats supported | AVI, FLV, H.264, HEVC, MKV, MOV, MPEG2, MPEG4, VC-1, VP8, VP9, WEBM, WMV | Logical Channel Number (LCN) | • |
| Audio formats supported | AAC, FLAC, LPCM, MP3, MPEG-1, OPUS, Vorbis, WAV, WMA | | |
| Image formats supported | BMP, GIF, JPEG, JPG, PNG, WEBP | | |
| High Dynamic Range (HDR) supported * | ✓ | | |
| Parental control | ✓ | | |



6942351418032

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.