


iQ500, Gas hob, 60 cm, Tempered glass, Black
EP6A6HI10



Optional accessories

HZ298105	Simmer plate
HZ298107	Wok ring
HZ298114	Small pot support
HZ32WA00	Wireless food thermometer
HZ9SE040	4 pieces Set
HZ9SE060	6 pieces Set

Tempered glass gas hob with stepFlame Technology for precise flame control, with detachable knobs and pan supports suitable for dishwashers.

- ✓ stepFlame Technology: Precise flame control with nine different settings
- ✓ Detachable metallic sword knobs: Easily removable for easy cleaning and precise cooking control
- ✓ Individual cast iron pan support: Easy to handle and easy to clean
- ✓ Wok burner 3,5 kW: Go from simmer to stir-fry on one burner
- ✓ Black tempered glass surface: Extremely heat-resistant

Features

Technical Data

Product name/family: gas hob w integrated controls
Design: Built-in
Source of energy: Gas
Total number of positions that can be used at the same time: 4
Required niche size for installation (HxWxD):45 x 560-560 x 480-490 mm
Width of the appliance: 590 mm
Dimensions: 54x590x520 mm
Dimensions of the packed product (HxWxD): ... 150 x 650 x 580 mm
Net weight: 14.4 kg
Gross weight: 15.6 kg
Residual heat indicator:yes
Location of control panel: Front
Basic surface material: Tempered glass
Color of surface: Black
Color of frame: Black
Length electrical supply cord: 100.0 cm
Knob Material: Full metal
Sealed Burners: No
Type of pan support: Elongated cast iron pan support
Power of heating element (kW): 1.75 kW
Power of 3rd heating element (kW): 1.75 kW
Power of 5th heating element (kW): 3.5 kW
Connection rating: 1 W
Gas connection rating: 8000 W
Fuse protection: 3 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Source of energy: Gas
Gas type preset: Nat gas H/E(L) 20 (25) mbar
Certified gas types: Liquid gas G30,31 28-30/37mbar
Plug type: No plug (electrical connection by electrician)
Appliance Dimensions (h x w x d) (in): x x
Dimensions of the packed product: 5.90 x 22.83 x 25.59
Net weight: 32.000 lbs
Gross weight: 34.000 lbs
Total number of positions that can be used at the same time: 4
Length electrical supply cord: 100.0 cm
Required niche size for installation (HxWxD):45 x 560-560 x 480-490 mm
Dimensions: 54x590x520 mm
Dimensions of the packed product (HxWxD): ... 150 x 650 x 580 mm
Net weight: 14.4 kg
Gross weight: 15.6 kg



iQ500, Gas hob, 60 cm, Tempered glass, Black EP6A6HI10

Features

Design

- Tempered glass hob surface, black
- Two built-in options: install the hob either flush or slightly raised on the worktop
- Cast iron single pan supports
- Metal knobs

Usage convenience

- stepFlame Technology: precisely adjust the flame in nine defined and repeatable levels.
- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 4 Gas burners
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Wok burner up to 3.5 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Cleaning

- Removable knobs for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

Safety

- Gas Safety Lock: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Preset for natural gas (20mbar). Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 590 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Required niche size for flush installation (HxWxD mm): 45 x 594 x 524
- Min. worktop thickness: 20 mm
- If installed flush, minimum worktop thickness is 30 mm.
- Power cord: 1 m
- Connected load: 8 KW

**iQ500, Gas hob, 60 cm, Tempered
glass, Black
EP6A6HI10**

Dimensioned drawings

