

iQ500, Gas hob, 75 cm, Tempered glass, Black
EP7A6QI10



Optional accessories

HZ298105	Simmer plate
HZ298107	Wok ring
HZ298114	Small pot support
HZ32WA00	Wireless food thermometer
HZ9SE040	4 pieces Set
HZ9SE060	6 pieces Set

Tempered glass gas hob with stepFlame Technology for precise flame control, with detachable knobs and pan supports suitable for dishwashers.

- ✓ stepFlame Technology: Precise flame control with nine different settings
- ✓ Detachable metallic sword knobs: Easily removable for easy cleaning and precise cooking control
- ✓ Individual cast iron pan support: Easy to handle and easy to clean
- ✓ Wok burner with 4.0 kW: Fast cooking with even heat distribution
- ✓ Black tempered glass surface: Extremely heat-resistant

Features

Technical Data

Product name/family: gas hob w
integrated controls
Design: Built-in
Source of energy: Gas
Total number of positions that can be used at the same time: 5
Required niche size for installation (HxWxD):45 x 560-560 x
480-490 mm
Width of the appliance: 752 mm
Dimensions: 54x752x520 mm
Dimensions of the packed product (HxWxD): ... 150 x 790 x 600 mm
Net weight: 17.1 kg
Gross weight: 19.6 kg
Residual heat indicator:yes
Location of control panel: Front
Basic surface material: Tempered glass
Color of surface: Black
Color of frame: Black
Length electrical supply cord: 100.0 cm
Knob Material: Full metal
Sealed Burners: No
Type of pan support: Elongated cast iron pan support
Power of heating element (kW): 1 kW
Power of 3rd heating element (kW): 1.75 kW
Power of 5th heating element (kW): 3 kW
Connection rating: 1 W
Gas connection rating: 11500 W
Fuse protection:3 A
Voltage:220-240 V
Frequency:50; 60 Hz
Source of energy: Gas
Gas type:Nat gas H/E(L) 20 (25) mbar
Alternative gas type:Liquid gas G30,31
28-30/37mbar
Plug type: No plug
(electrical connection by electrician)
Appliance Dimensions (h x w x d) (in): x x
Dimensions of the packed product: 5.90 x 23.62 x 31.10
Net weight: 38.000 lbs
Gross weight: 43.000 lbs
Total number of positions that can be used at the same time: 5
Length electrical supply cord: 100.0 cm
Required niche size for installation (HxWxD):45 x 560-560 x
480-490 mm
Dimensions: 54x752x520 mm
Dimensions of the packed product (HxWxD): ... 150 x 790 x 600 mm
Net weight: 17.1 kg
Gross weight: 19.6 kg



iQ500, Gas hob, 75 cm, Tempered glass, Black EP7A6QI10

Features

Design

- Tempered glass hob surface, black
- Two built-in options: install the hob either flush or slightly raised on the worktop
- Cast iron single pan supports
- Metal knobs

Usage convenience

- stepFlame Technology: precisely adjust the flame in nine defined and repeatable levels.
- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 5 Gas burners
- Left front: Economy burner up to 1 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: Wok burner up to 4 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

Cleaning

- Removable knobs for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.

Safety

- Gas Safety Lock: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 752 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 20 mm
- If installed flush, minimum worktop thickness is 30mm.
- Power cord: 1 m
- Connected load: 11.5 KW

iQ500, Gas hob, 75 cm, Tempered glass, Black EP7A6QI10

Dimensioned drawings

