


iQ700, Gas hob, 75 cm, Tempered glass, Black ER7A6RH40



Tempered glass gas hob with stepFlame Technology for precise flame control, intelligent hob-hood-control, detachable knobs and semi-continuous pan supports for an easy cleaning.

- ✓ stepFlame Technology: Precise flame control with nine different settings
- ✓ cookConnect: Control different functions of your hood, like power level or light, directly from your hob (with Siemens matching hood)
- ✓ Intelligent hood automatic: The hood is synced to your hob for maximum convenience
- ✓ Home Connect: Enjoy more peace of mind
- ✓ Detachable metallic sword knobs: Easily removable for easy cleaning and precise cooking control

Optional accessories

Features

HZ298105	Simmer plate
HZ298107	Wok ring
HZ298114	Small pot support
HZ32WA00	Wireless food thermometer
HZ9SE040	4 pieces Set
HZ9SE060	6 pieces Set

Product name/family: gas hob w
integrated controls
Design: Built-in
Source of energy: Gas
Total number of positions that can be used at the same time: 5
Required niche size for installation (HxWxD): 45 x 560-560 x
480-490 mm
Width of the appliance: 752 mm
Dimensions: 54x752x520 mm
Dimensions of the packed product (HxWxD): ... 145 x 793 x 597 mm
Net weight: 19.5 kg
Gross weight: 22.0 kg
Residual heat indicator:yes
Location of control panel: Front
Basic surface material: Tempered glass
Color of surface: Black
Color of frame: Black
Length electrical supply cord: 100.0 cm
Knob Material: Full metal
Sealed Burners: No
Power of heating element (kW): 1.75 kW
Power of 3rd heating element (kW): 1.75 kW
Power of 5th heating element (kW): 3 kW
Connection rating: 2 W
Gas connection rating: 11700 W
Fuse protection:3 A
Voltage:220-240 V
Frequency:50; 60 Hz
Source of energy: Gas
Gas type:Nat gas H/E/(L) 20 (25) mbar
Alternative gas type:Liquid gas G30,31
28-30/37mbar
Plug type: No plug
(electrical connection by electrician)
Appliance Dimensions (h x w x d) (in): x x
Dimensions of the packed product: 5.70 x 23.50 x 31.22
Net weight: 43.000 lbs
Gross weight: 49.000 lbs
Total number of positions that can be used at the same time: 5
Length electrical supply cord: 100.0 cm
Required niche size for installation (HxWxD): 45 x 560-560 x
480-490 mm
Dimensions: 54x752x520 mm
Dimensions of the packed product (HxWxD): ... 145 x 793 x 597 mm
Net weight: 19.5 kg
Gross weight: 22.0 kg



iQ700, Gas hob, 75 cm, Tempered glass, Black ER7A6RH40

Features

Design

- Tempered glass hob surface, black
- Two built-in options: install the hob either flush or slightly raised on the worktop
- Semi-continuous cast iron pan supports
- Illuminated, Metal knobs

Usage convenience

- stepFlame Technology: precisely adjust the flame in nine defined and repeatable levels.
- Digital display: see the selected power level and the residual heat.
- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition via control knobs: just push and turn the knob to ignite the flame.
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Burners and power

- 5 Gas burners
- Including Dual wok burner: use an extra wide power range, separately controlling two flame rings.
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: Wok burner up to 4.2 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Cleaning

- Removable knobs for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.
- Semi-continuous cast iron pan supports: little weight and compact form, yet high stability due to continuous surface.

Safety

- Gas Safety Lock: prevents unwanted gas flow when flame goes out.
- Residual heat indicator: indicates which burner parts and pan supports are still hot.

Connectivity

- Home Connect : check if the hob is switched off even when not at home and find additional functions in the Home Connect app.
- cookConnect system (with matching hood) : automatically activates the hood when cooking, thanks to the WiFi connection of hob and suitable hood.
- Intelligent hood automatic (available after software update): hood automatically adapts fan speed thanks to hob continuously providing cooking data (with matching hood and connected Home Connect account).
- Sound volume of Touch control adaptable to personal preference and needs (via app).

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar

- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 752 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 20 mm
- If installed flush, minimum worktop thickness is 30 mm.
- Power cord: 1 m
- Connected load: 11.7 KW

**iQ700, Gas hob, 75 cm, Tempered
glass, Black
ER7A6RH40**

Dimensioned drawings

