



# CorePro Plastic LEDcandles & lusters

## CorePro lustre ND 7-60W E14 840 P48 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters and are available in multiple color temperatures. LED lamps deliver huge energy savings of up to 80% energy-saving compared with halogen lamps and provide excellent quality of light. By offering a lifetime of 15,000 hours it lowers maintenance costs. The CorePro LED candles and lusters are perfect for your basic lighting needs.

### Product data

General information		Operating and electrical	
Cap-Base	E14 [ E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	7 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	59 mA
Switching Cycle	50000X	Wattage Equivalent	60 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.51
		Voltage (Nom)	220-240 V
Light technical		Temperature	
Color Code	840 [ CCT of 4000K]	T-Case Maximum (Nom)	87 °C
Luminous Flux (Nom)	806 lm		
Color Designation	Cool White (CW)	Controls and dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	115.00 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

# CorePro Plastic LEDcandles & lusters

## Mechanical and housing

Bulb Finish	Frosted
Bulb Shape	P48

## Approval and application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	453216

## Product data

Full product code	871951431308800
-------------------	-----------------

Order product name	CorePro lustre ND 7-60W E14 840 P48 FR
EAN/UPC - Product	8719514313088
Order code	929002973302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002973302
Net Weight (Piece)	0.023 kg



## Dimensional drawing



CorePro lustre ND 7-60W E14 840 P48 FR

Product	D	C
CorePro lustre ND 7-60W E14 840 P48 FR	48 mm	95 mm

## Photometric data




LEDlustre CorePro 7W P48 E14 840-GUL

LEDlustre CorePro 7W P48 E27 840 FR-POC


# CorePro Plastic LEDcandles & lusters

## Photometric data




LEDlustre CorePro P48 7W E27 840 FR-LDD

## Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

