



CorePro Plastic LED Specialties

Corepro LED T25 ND 1.7-15W E14 827

The LED specialties can be easily intalled for certain application.

Product data

| General Information | |
|---------------------------------------|---------------------|
| Cap-Base | E14 [E14] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 15000 h |
| Switching Cycle | 50000X |
| Light Technical | |
| Color Code | 827 [CCT of 2700K] |
| Beam Angle (Nom) | 240 ° |
| Luminous Flux (Nom) | 150 lm |
| Color Designation | Warm White (WW) |
| Correlated Color Temperature (Nom) | 2700 K |
| Luminous Efficacy (rated) (Nom) | 88.00 lm/W |
| Color Consistency | <6 |
| Color Rendering Index (Nom) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Operating and Electrical | |
| Input Frequency | 50 to 60 Hz |
| Power (Nom) | 1.7 W |
| Lamp Current (Nom) | 20 mA |
| Wattage Equivalent | 15 W |
| Starting Time (Nom) | 0.5 s |


| Warm Up Time to 60% Light (Nom) | 0.5 s |
|---------------------------------|------------------------------------|
| Power Factor (Nom) | 0.4 |
| Voltage (Nom) | 220-240 V |
| Temperature | |
| T-Case Maximum (Nom) | 55 °C |
| Controls and Dimming | |
| Dimmable | No |
| Mechanical and Housing | |
| Bulb Finish | Frosted |
| Bulb Shape | T25 [T 25mm] |
| Approval and Application | |
| Energy Efficiency Class | F |
| Energy Consumption kWh/1000 h | 2 kWh |
| EPREL Registration Number | 391879 |
| Product Data | |
| Full product code | 871951438986100 |
| Order product name | Corepro LED T25 ND 1.7-15W E14 827 |
| EAN/UPC - Product | 8719514389861 |

CorePro Plastic LED Specialties

| | |
|---------------------------------|--------------|
| Order code | 929001325702 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 12 |
| Material Nr. (12NC) | 929001325702 |

| | |
|--------------------|----------|
| Net Weight (Piece) | 0.008 kg |
|--------------------|----------|


Dimensional drawing




Corepro LED T25 ND 1.7-15W E14 827

| Product | D | C |
|------------------------------------|-------|-------|
| Corepro LED T25 ND 1.7-15W E14 827 | 25 mm | 59 mm |


Photometric data



LEDbulb 1,7W T25 E14 827 FR-LDD





LEDbulb 1,7W T25 E14 827 FR-GUL



LEDbulb 1,7W T25 E14 827 FR-POC

CorePro Plastic LED Specialties

Lifetime



15K LED

15K LMP

