



CorePro GLASS LED candles and lustres

CorePro LEDLusterND4.3-40W E27 827P45FRG

Featuring a classic heritage design, Classic filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An very easy choice for people who are looking for the replacement for retrofit LED candles and lustres: compared to convential lamps, it provides a 90% energy saving. CorePro Glass LED candles and lustres provide excellent quality of light. By offering a lifetime of 15,000 hours, they reduce maintenance costs.

Product data

General Information		Power (Rated) (Nom)		4.3 W
Cap base	E27 [E27]	Lamp current (nom.)	35 mA	
EU RoHS compliant	Yes	Wattage equivalent	40 W	
Nominal lifetime (nom.)	15000 h	Starting time (nom.)	0.5 s	
Switching cycle	20,000X	Warm-up time to 60% light (nom.)	0.5 s	
	Sphere	Power factor (nom.)	0.5	
Light Technical		Voltage (Nom)	220-240 V	
Colour Code	827 [CCT of 2,700 K]	Temperature		
Luminous flux (nom.)	470 lm	T-Case maximum (nom.)	55 °C	
Colour designation	Warm white (WW)	Controls and Dimming		
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No	
Luminous efficacy (rated) (nom.)	109.00 lm/W	Mechanical and Housing		
Colour consistency	<6	Lamp Finish	Frosted	
Colour rendering index (nom.)	80	Bulb shape	P45 [P 45mm]	
LLMF at end of nominal lifetime (nom.)	70 %			
Operating and Electrical				
Input frequency	50 to 60 Hz			

CorePro GLASS LED candles and lustres

Approval and Application


Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	5 kWh
	387386

Product Data

Full product code	871951434722900
Order product name	CorePro LEDLusterND4.3-40W E27 827P45FRG

EAN/UPC – product	8719514347229
Order code	34722900
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001345792
SAP net weight (piece)	0.012 kg


Dimensional drawing




Candle P45 230V 4-40W 250lm 2700K E27ND

Product	D	C
CorePro LEDLusterND4.3-40W E27 827P45FRG	45 mm	78 mm


Photometric data



LEDbulb, Bulb A21 14W, 18W 2200-2700K




LEDbulb 40W E27 827 FR P45




LEDbulb 40W E14 827 FR B35

CorePro GLASS LED candles and lustres

Lifetime



LEDbulb 40W E14 827 FR B35



LEDbulb 25W E14 827 FR B35

