



# CorePro GLASS LED candles and lusters

## CorePro LEDLusterND6.5-60W P45 E14865FRG

Featuring a classic heritage design, Classic filament LED Lamps combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. An very easy choice for people who are looking for the replacement for retrofit LED candles and lusters, as comparing with convential lamps, it provide 90% energy saving. CorePro Glass LED candles and lusters provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

### Product data

General Information		Power (Nom)	
Cap-Base	E14 [ E14]		6.5 W
EU RoHS compliant	Yes	Lamp Current (Nom)	50 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	60 W
Switching Cycle	20000X	Starting Time (Nom)	0.5 s
Flux measurement reference	Sphere	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.55
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	865 [ CCT of 6500K]	T-Case Maximum (Nom)	55 °C
Luminous Flux (Nom)	806 lm		
Color Designation	Cool Daylight	Controls and Dimming	
Correlated Color Temperature (Nom)	6500 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	124.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color Rendering Index (Nom)	80	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	P45 [ P 45mm]
Operating and Electrical			
Input Frequency	50 to 60 Hz		

# CorePro GLASS LED candles and lusters

## Approval and Application


Energy Efficiency Class	E
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	387450

## Product Data

Full product code	871951434764900
Order product name	CorePro LEDLusterND6.5-60W P45 E14865FRG

EAN/UPC - Product	8719514347649
Order code	929002028992
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002028992
Net Weight (Piece)	0.014 kg


## Dimensional drawing




Candle P45 60W 806lm 6500K E14 NDFrosted

Product	D	C
CorePro LEDLusterND6.5-60W P45 E14865FRG	45 mm	80 mm

## Photometric data




LEDbulb 6,5-60W E14 P45



LEDluster E14 P45 865 FR


# CorePro GLASS LED candles and lusters

## Photometric data




LEDbulb E14 P45

## Lifetime



LEDbulb 6,5-60W E14 B35



LEDbulb 6,5-60W E14 B35

